



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	RICOH Europe SCM B.V., Blankenweg 24	
e-mail address	4612 RC Bergen op Zoom, Netherlands	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product * MFP			
Commercial name *	IM 350F		
Model number *	IM 350F		
Issue date *	09 January 2019		
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	e * 09 January 2019	
Product environmental attributes - Legal requirements		Requirement met
Item	· · · · · · · · · · · · · · · · · · ·	Yes No n.a.
P1	Hazardous substances and preparations	
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	
P1.2*	Products do not contain Asbestos (see legal reference).	
	Comment: Legal reference has no maximum concentration value.	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in t chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	he 🔲 🗌
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🛛 📗
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square
P2	Batteries	
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg reference)	al 🔲 🗌
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square \square
P3	Conformity verification & Eco design (ErP)	
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.con	
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	
	Required information is; given in item P15 or added to this document,	
	available at (add URL):	
P4	Consumable materials	
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	
P5	Product packaging	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium a hexavalent chromium by weight of these together.	and 🔀 🗌
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material used (see legal reference).	(s)
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	eal 🔲 🔲
P6	Treatment information	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * IM 350F

Model number *	IM 350F	
Issue date *	09 January 2019	

Product	environmental attributes - Market requirements (See General NOTE GN below)				
- i	- Environmental conscious design				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
D7.4*	Disassembly, recycling Parts that have to be treated an extent of an extent of a control of the		_		
P7.1*	Parts that have to be treated separately are easily separable		ᆜ		
P7.2*	Plastic materials in covers/housing have no surface coating.		<u>Ц</u>		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes	Ш		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9.	Spare parts are available after end of production for: 7 years				
P7.10	Service is available after end of production for: 7 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
D7.10	Material type: PC+ABS-(TD+MD) Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.	<u>L</u> _			
P7.13	Insulation materials of internal electrical cables are PVC free.				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%				
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts				
	containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,	\boxtimes		
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	_		_	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\square			
	Marking: FR(40)				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):				
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g				
	according ISO 1043-4:		\boxtimes		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in				
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)				
	2. Chemical name: , CAS #: "(GGC NOTE B4)				
	3. Chemical name: , CAS #: "				
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes		
	assigned the following Risk phrases; and Hazard statements:				
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes			
	If YES; at least one of the two alternatives below shall be answered;				
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a				
	percentage of total plastic by weight) is 5%. or				
	b) The weight of recycled material is 761 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nui	mber *	IM 350F							
Issue date * 09 January			ry 2019						
Product	environn	nental att	ributes - Market re	quirements (conti	nued)		Requir	ement	met
Item						Yes		n.a.	
			ance requirements (d	· · · · · · · · · · · · · · · · · · ·					
P7.21*	Biobase	d plastic ma	aterial content is used i	in the product (See No	OTE B7):		\boxtimes		
	,		of the two alternatives		ered; material content (calcula	tod oo o poroontogo	of		
			weight) is <i>0.001</i> %.	tile biobaseu piastic i	naterial content (calcula	ileu as a percentage t	ונ		
	or		the biobased plastic m	aterial is 0.2 g.					
P7.22*	Light sou	urces are fre	ee from mercury, i.e. le	ess than 0,1 mg/lamp.			\boxtimes		
			pecify: Number of lam		um mercury content per	lamp: mg			
P8	Batteries								
P8.1*	-		mposition: <i>Manganes</i>	e dioxide lithium bat	tery				
P9			on (See NOTE B8)						
P9.1	For the p	product the	following power levels	or energy consumption	ons are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test meth		energy	
Sleep mod STAR® O			W	W	W				
(OM) prod		Modo							
Standby/o			W	W	W				\boxtimes
ENERGY Mode (OM									
TEC value			kWh/week	kWh/week	0.45 kWh/week				
TEC produ	ucts								
(TEC= Typ	oical Energ	ЗУ							
Operating	mode	•	W	W	561,8 W				
Ready mo	ode		W	W	91,5 W				
Sleep mo	de		W	W	0,79 W				
			W	W	W				
			W	W	W				
			W	W	W				$\overline{}$
External P	ower Supr	oly Efficienc	Level (International	Efficiency Marking Pro	otocol) * ·		-		
			<u> </u>						
Print/Scan	<u>'</u>		35 images per minute						
			ve mode: 1 minutes						
P9.2*			ne energy save function	n is provided with the	product.				
P10	Emissio			100 0000 (0 NOTE	(20)				
P10.1	Mode Mode		Declared according to ode description		B9) atistical upper limit A-we	aighted sound nower le	evel		
F 10.1	Wode	IVI	ode description		Austical upper limit A-we	nginea souna power i	5VGI,		
	Idle	*	stand-by	* 3	3,4				
	Operatio	n *	Operating Mode	* (5,3				
	Other mo	ode							
	Measure	ed according	g to: 🔀 ISO 7779 🗌	ECMA-74					
			Other	(only if not covered by	/ ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	IM 350F			
Issue date	ue date * 09 January 2019				
Product 6	environ	mental attributes - Market requirements (continued)	quire	ment	met
Item			Yes	No	n.a.
		cal emissions from printing products (See NOTE B10)			
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic				
		ent (ISO/IEC 28360) , other specify: RAL-UZ205			
P10.3	Typical	emission rate (operation phase) is (mg/h):			
	Electrop	photographic devices: Ozone <0.2 Dust <0.18 Styrene 0.056 Benzene <0.007 TVOC 2			
	Ink devi	ices: Dust Styrene Benzene TVOC			
	Note: co	ompliance with maximum emission rates in eco labels to be declared in P14.			
P11		mable materials for printing products			
P11.1*	A Safet	y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper of EN 122	containing post-consumer recycled fibers can be used, provided that it meets the requirements of 81.	\boxtimes		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.	\boxtimes		
P11.4*	The pro	oduct is delivered to end-user with default auto-duplex enabled.	\boxtimes		
P13		ging and documentation			
P13.1*		t packaging material type(s): corrugated paper weight (kg): 3,73			
		t packaging material type(s): plastic (LDPE) weight (kg): 0,189			
P13.2*		t packaging material type(s): weight (kg): t plastic primary packaging is free from PVC.	\square	$\overline{}$	
P13.3*					
F 13.3	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:				
D40.4*					
P13.4*		media for user and product documentation (tick box): nic , Paper , Other ,			Ш
P13.5					
F 13.3	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:				
		please specify:			
		chlorine-free	\square		
	,	tal chlorine-free	\bowtie		
		sed chlorine-free	H		
P14		ary programs:			
P14.1		oduct meets the requirements of the following voluntary program(s):			
	FNFRG	SY STAR® Criteria version: 3.0 Date: Product category:			
	_	pel: BAM Criteria version: RAL-UZ205 Date: Product category: MFP			
	Eco-lab	pel: Criteria version: Date: Product category:			
P15		onal information (See NOTE B11)			
		pressure level at the operator position [LpA:dB(A)]			
	Stand-by 22,5(dB) Operating mode 53,4(dB)				
	Operal	ing mode 90,7(dD)			

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1