



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Ricoh	Logo
Ricoh Company Ltd	
Ricoh Europe (Netherlands), Prof. W.H.Keesomlaan 1,	
PO Box 114 1180AC Amstelveen, The Netherlands	
reu.compliance@ricoh-europe.com	
www.ricoh.com	
	Ricoh Company Ltd Ricoh Europe (Netherlands), Prof. W.H.Keesomlaan 1, PO Box 114 1180AC Amstelveen, The Netherlands reu.compliance@ricoh-europe.com

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	MFP				
Commercial name *	IM C530F				
Model number *	IM C530F				
Issue date *	17 August 2020				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	IM C530F	
Issue date *	17 August 2020	

Produc	t environmental attributes - Legal requirements	Require	ement r	net
Item		Yes	No n	ı.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): reu.compliance@ricoh-europe.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes	ПГ	
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		+	
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional			<u> </u>
P3	user", the related text is present and legible on the external packaging (see legal reference)			
P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): reu.compliance@ricoheurope.com			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is; given in item P15 or added to this document, available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
		<u></u>		

Model number *	IM C530F	
Issue date *	17 August 2020	

	- Environmental conscious design	Requ	irem	ent r	net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes]	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product lifetime			_	_
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X			
P7.8*	Upgrading can be done using commonly available tools				
P7.9.	Spare parts are available after end of production for: years				
P7.10	Service is available after end of production for: years				Ī
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		\geq	1	
P7.13	Insulation materials of internal electrical cables are PVC free.		×	1	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\geq		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "]	
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)]	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	IM C530F	
Issue date *	17 August 2020	

Product environmental attributes - Market requirements (continued)				F	Require	ment	met	
Item						Yes	No	n.a.
	Material and substa	ance requirements (d	continued)					
P7.20*	Postconsumer recyc	eled plastic material co	ntent is used in the pr	oduct (See NOTE B6)	:		Ш	Ш
	,	of the two alternatives		,	entant (calculated as a			
	percentage of total plastic by weight) is 0.12%.							
	or b) The weight of re	ecycled material is 19.	.34 g.					
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):						\boxtimes	
	,	of the two alternatives		,				
	 a) Of total plastic total plastic by 		he biobased plastic m	naterial content (calcul	ated as a percentage of			
	or	he biobased plastic ma	atorial is					
P7.22*	, ,	ee from mercury, i.e. le	ess than 0,1 mg/lamp.					
	, ,	pecify: Number of lamp		um mercury content pe				
P7.23*	If product includes a	n integral display, the	total mercury content	in the integrated displa	ay: 0 mg			
P8	Batteries							
P8.1*		mposition: Manganes	e dioxide lithium bat	tery				
P9	Energy consumption							
P9.1		ollowing power levels		ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
	de for ENERGY	W	W	W				
STAR® O _l (OM) prod	perational Mode ucts							
	ff mode for STAR Operational	W	W	W				
Mode (OM	'							
	for ENERGY STAR	kWh/week	kWh/week	0.73 kWh/week	Based on ENERGY S			
	ucts (TEC= Typical onsumption)				Test Method. TEC val		ies	
Operating	node mode	W	W	578 W Mono				
				633 W Color				
Ready mo	ode	W	W	99.8 W				
Sleep mo	de	W	W	0.75 W				
		W	W	W				
		W	W	W				
	W W W							
	,	y Level (International I	Efficiency Marking Pro	otocol) * :				\boxtimes
Print/Scan		53 images per minute						
	Default time to enter energy save mode: 1 minutes							
P9.2*	Information about the	e energy save function	n is provided with the p	product.		\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	IM C530F	
Issue date *	17 August 2020	

Product	duct environmental attributes - Market requirements (continued)				Require	ment	met
Item			•		Yes	No	n.a.
P10	Emissions						
	Noise emission	- Declared according to ISO 9296 (See No	OTE B9)				
P10.1	Mode	Mode description	Statistical upper lim $L_{WA,c}$ (B)	it A-weighted sound power	level,		
	Idle	* stand-by	* 3.3				
	Operation	* Operating Mode	* 7.1 Mono, 7.2 Co	lor			
	Other mode						
	Measured accord	ding to: SO 7779 ECMA-74 Other	(only if not covered b	y ECMA-74)			
		sions from printing products (See NOTE					
P10.2*		according to ECMA-328 Determination of C		tes from Electronic			
		IEC 28360) , other specify: RAL-UZ205					
P10.3	Typical emission	rate (operation phase) is (mg/h):					Ш
	Electrophotograp	ohic devices: Ozone <0.12 Mono, <0.39 Construction Styrene 0.1 Mono, 0.3 Color Dust	Benzene <0.01 TV				
	NOTE: complian	as with maximum amigaian rates in ass lab	ala ta ba daalarad in	D14			
P11		ce with maximum emission rates in eco lab aterials for printing products	eis to be decialed in	F 14.			
P11.1*		neet (SDS) is available for the ink/toner pre	paration, even if not le	egally required (see P4.3).		$\overline{\Box}$	
P11.2*		post-consumer recycled fibers can be use	•	· · · · ·			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes		
P11.4*	The product is delivered to end-user with default auto-duplex enabled.				∺	Ħ	
P13	Packaging and	-					
P13.1*	Product packagii Product packagii Product packagii	ng material type(s): corrugated Paper ng material type(s): plastic (LDPE) ng material type(s): plastic (PP) ng material type(s): plastic (EPS)	weight (kg): 4.9 weight (kg): 0.11 weight (kg): 0.11 weight (kg): 1.13				
P13.2*		rimary packaging is free from PVC.			\boxtimes		
P13.3*	For product prim consumer recover	ary corrugated fiberboard packaging, speci ered fiber content: %	fy the contained perc	entage of minimum post-			
P13.4*	Specify media fo	r user and product documentation (tick box):				
P13.5	(Please only con	nplete this item if paper documentation used to documentation on paper media is chlorine	d) e-free:				
	Totally chlorine-f						
	Elemental chloring	ne-free					
	Processed chlori	ne-free					
P14	Voluntary progr	ams:					
P14.1	The product mee	ets the requirements of the following volunta	ary program(s):				
	ENERGY STAR(Eco-label: <i>BAM</i> Eco-label:	© Criteria version: See P9.1 Criteria version: <i>RAL-UZ205</i> Criteria version:	Date: Date: Date:	Product category: Product category: <i>MFP</i> Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model numbe	IM C530F	
Issue date *	17 August 2020	

Produc	Product environmental attributes - Market requirements (concluded) Requirement			
P15	Additional information (See NOTE B11)			
	Sound pressure level at the operator position [LpA:dB(A)] Stand-by 21 (dB) Operating mode 62.4(dB) Mono, 63.2(dB) Color			

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP	P4.3, P7.19
Regulation)	
	P5.1

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	