Product Name: Print Cartridge Black IM C530 SDS Number: 418240 Date Prepared: 02/03/2020 Date Modified: 02/03/2020 Date: 31/07/2020



Safety Data Sheet (ISO form)

1. Product and Company Identification

Product Name :Print Cartridge Black IM C530 (Black toner) General Use :The Image Formation of Printing Machine or Copier

SDS Number :418240

Company Name : Ricoh Company,Ltd.

:Product Safety Engineering Department, Safety and Environmental Engineering Department

Center, Quality Management Division

Address :146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007, Japan

Telephone Number :055-920-1470, Japan :055-920-1479, Japan Telefax Number E-mail :zjc_sdsinfo@jp.ricoh.com

2. Composition/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin	Confidential	Confidential	<90
Paraffin Wax	Confidential	Confidential	<10
Carbon Black	Confidential	1333-86-4	<10
Silicon Compound	Confidential	7631-86-9	<10
Titanium Oxide	Confidential	13463-67-7	<1

This product does not contain any of the following substances as ingredients.
Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA).

Hazardous Ingredients Information

Chemical Name: Carbon Black

CAS Number : 1333-86-4 **FEC Number** : 215-609-9 OSHA Z-Tables (USA) 3.5 mg/mACGIH-TLV 3.0 mg/mNTP (USA) Not listed IARC Monographs Group 2B Symbol (EU) Not listed R-Phrase (EU) Not listed DFG-MAK OELs-TWA (Australia) : 3.0 mg/m3III 3B

California Proposition 65 (USA) : Listed

Chemical Name: Titan Oxide

CAS Number : 13463-67-7 **EEC Number** : 236-675-5 OSHA Z-Tables (USA) 15mg/m3 ACGIH-TLV : 10mg/m3 NTP (USA) IARC Monographs Not listed Group 2B Symbol (EU) Not listed R-Phrase (EU) Not listed DFG-MAK (GER) Not listed OELs-TWA (Australia) : 10 mg/m3

California Proposition 65 (USA) : Listed

3. Hazards Identification

The Most Important Hazards Adverse Human Health Effects Not applicable in normal use. **Environmental Effects** Not applicable in normal use. Physical and Chemical Hazards Not applicable in normal use. Specific Hazards

> -1-[IS0]





Main Symptoms

Acute Inhalation Toxicity

Acute Oral Toxicity

Acute Eye Irritation

May cause slight transient irritation.

Acute Skin Irritation

May be non-irritant.

Sensitization

Chronic Effect

Carcinogenicity

Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat. But oral/skin test does not show carcinogenicity.

The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

The Classification of The Chemical Product

4.First-Aid Measures

Inhalation

Remove from exposure to fresh air and rinse mouth with water. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Try to remove with eye drops or flush with water. If unsuccessful, get medical attention.

Ingestion

If swallowed, rinse mouth well with water and drink plenty of water. / If necessary, seek medical advice.

Notes to a physician

Not applicable

5. Fire-Fighting Measures

Extinguishing Media

Water, foam or dry chemicals.

Extinguishing Media to Avoid

No information

Specific Hazards

Not applicable

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.; No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.; Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures

Personal Precautions

Minimize inhalation of dust.

Environment Precautions

Do not flush into sewers or watercourses.

Methods for Cleaning Up

Make sure there is no open flame around.

In the case of a small amount, wipe with a broom or wipe with a cloth dampened with soapy water. Do not vacuum spilled toner with a vacuum cleaner. (If a vacuum cleaner is used, fine particles of toner may fill the inside of the vacuum cleaner, causing a fire or explosion due to sparks at the electrical contacts.)

-2- [IS0]

Product Name: Print Cartridge Black IM C530 SDS Number: 418240 Date Prepared: 02/03/2020 Date Modified: 02/03/2020 Output Date: 31/07/2020

RICOH

7. Handling and Storage

Handling

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Never throw it into a fire. Do not smash or disassemble the cartridge.

Flying powder may enter eyes.

Minimize breathing dust.

Storage

Technical Measures

Not applicable

Storage Conditions

Avoid direct sunlight.

Do not keep this over 35°C.

Keep out of reach of children.

Packaging Material

Use our packaging materials.

Specific Use(s)

8.Exposure Controls/Personal Protection

Technical Measures

None needed under normal use condition.

Control Parameters

USA OSHA PEL (TWA) : Not applicable

ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) 3.0mg/m3 (Respirable fraction)

DFG MAK

Personal Protection

Respiratory Protections

None needed under normal use condition.

Hand Protection

None needed under normal use condition.

Eye Protection

None needed under normal use condition.

Skin and Body Protection

None needed under normal use condition.

Hygiene Measures

9. Physical and Chemical Properties

Appearance

Physical State : Powder Form : Powder Colour : Black

Odour : Sligthly plastic odour

Information

pH: Not applicable

Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur

Boiling Point (degrees centigrade) : Not applicable Melting Point (degrees centigrade) : Not available

Decomposition Temperature (degrees centigrade) : Not available Flash Point (degrees centigrade) : Not applicable

Explosion Properties (degrees centigrade) : This product is considered a nonexplosive material under

normal use.

-3- [ISO]

Product Name: Print Cartridge Black IM C530 SDS Number: 418240 Date Prepared: 02/03/2020 Date Modified: 02/03/2020 OutputDate: 31/07/2020

RICOH

Vapor Pressure (Pa) : Not applicable Vapor Density(AIR=1) : Not applicable

Density (g/cm3) : Not available Measuring Temp (degrees centigrade) :

Solubility

Water Solubility (g/L) : Insoluble Octanol/Water Partition Coefficient

Not available Other Information

Flammability : Not flammable Viscosity (Pa·s) : Not applicable Volatile (%) : Not available

10. Stability and Reactivity

Stability

Stable

Hazardous Reaction

Dust explosion, like most finely grained organic powders.

Conditions to Avoid

Not applicable in normal use.

Materials to Avoid

Not applicable in normal use condition.

Hazardous Decomposition Products

Decomposition products will not occur.

11.Toxicological Information

Acute Toxicity

Acute Oral Toxicity (LD50):

2000 over [mg/kg] (Rat) (None of hazardous situation will be caused under normal use condition.)

Acute Dermal Toxicity:

Not available

Acute Inhalation Toxicity:

Not available

Local effects

Acute Skin Irritation(PII):

Non-irritant (Rabbit) (None of hazardous situation will be caused under normal use condition.)

Acute Eye Irritation:

Non-irritant (Rabbit) (None of hazardous situation will be caused under normal use condition.)

Sensitization

Acute Allergenic Effects:

Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.)

Specific Effects

. Carcinogenicity:

Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat

But oral/skin test does not show carcinogenicity.

The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in

use of rat.

Mutagenicity (Ames test) : Negative (Ames test)

Reproduction Toxicity: Does not contain substances listed as hazardous to reproductive health.

-4- [IS0]

Product Name: Print Cartridge Black IM C530 SDS Number: 418240 Date Prepared: 02/03/2020 Date Modified: 02/03/2020 OutputDate: 31/07/2020



12. Ecological Information

Mobility : No data are available on the adverse effect one environment.

Persistence/Degradability : Not available Bioaccumulation : Not available

Ecotoxicity

Acute Toxicity for Fish (LC50) : Not available
Acute Toxicity for Daphnia (EC50) : Not applicable
Algae Inhibition Test (IC50) : Not applicable

13.Disposal Consideration

General information:

Used toner should be disposed in an environmentally appropriate manner and accordance with governmental regulations.

Disposal methods:

Precautions:

14. Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable
DOT 49 CFR : Not applicable
ADNR : Not applicable

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR : Not applicable

The UN Classification Number : Not applicable Class : Not applicable

Specific Precautionary Transport Measures and conditions

Avoid direct sunlight in quality.

15. Regulatory Information

```
Regulations
```

```
EU Information
```

Information on the label (Regulation (EC) No 1272/2008)

Symbols & Indications : R-Phrase : S-Phrase :

(EC) No 1907/2006 Annex XVII

This product complies with applicable rules and regulations under (EC) No 1907/2006 Annex XVII

(EC) No. 689/2008

This product complies with applicable rules and regulations under (EC) No 689/2008

US Information

Information on the label :

TSCA (Toxic Substances Control Act):

該当

SARA Title III

313 Reportable Ingredients:非該当

California Proposition 65:

Canada Information

WHMIS Controlled product:

-5- [IS0]

Product Name: Print Cartridge Black IM C530 SDS Number: 418240 Date Prepared: 02/03/2020 Date Modified: 02/03/2020 OutputDate: 31/07/2020

RICOH

16.Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health; 1, Flammability; 1, Reactivity; 0

HMIS Rating: The National Paint and Coating Association (USA)

Health; 1, Flammability; 1, Reactivity; 0

Literature References : ANSI Z400.1-1993

ANSI 2400.1-

ISO 11014-1

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149–261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280–299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for

Occupational Exposure to Titanium Dioxide DRAFT

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and

Biological Exposure Indices

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 NTP (USA) : US Department of Health and Human Services National Toxicology Program

Annual Report on Carcinogens
DFG-MAK
DFG List of MAK and BAT Value
Symbol (EC)
Regulation (EC) No 1272/2008
91/155/ EEC
: EU Directive 91/155/ EEC

(EC) No 1907/2006 Annex: Regulation (EC) No 1907/2006 Annex XVII

XVII

(EC) No. 689/2008 : Regulation (EC) No 689/2008

WHMIS Controlled product: Canada Workplace Hazardous Information System

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric

Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]

Abbreviations:

OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act

ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial

lygienists

REACH (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals

SVHC Substances of Very High Concern ECHA The European Chemicals Agency

DFG-MAK
RoHS
MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft
Restriction of the use of certain Hazardous Substances in Electrical and Electronic

Equipment

TWA Time Weighted Average

IARC International Agency for Research on Cancer

NTP National Toxicology Program

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer:

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.

-6- [IS0]